



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/826,237

04/17/2004

Daniel R. Burnett

12637-007-999

9644

20583

7590

04/13/2009

JONES DAY
222 EAST 41ST ST
NEW YORK, NY 10017

EXAMINER

WIEST, PHILIP R

ART UNIT

PAPER NUMBER

3761

MAIL DATE

DELIVERY MODE

04/13/2009

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/826,237	Applicant(s) BURNETT, DANIEL R.	
	Examiner Phil Wiest	Art Unit 3761	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 02 March 2009.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1,3,4,33,35,36 and 38-44 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1,3,4,33,35,36 and 38-44 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 23 March 2007 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date <u>3/2/09</u> . | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 3/2/09 has been entered.

Response to Amendment

In the reply filed 3/2/09, applicant amended claims 1, 3, 4, 33, 35, 36, and 38, and added new claims 39-44. Claims 1, 3, 4, 33, 35, 36, and 38-44 are currently pending.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 1, 36 and 39-44 are rejected under 35 U.S.C. 103(a) as being unpatentable over Rubenstein et al. (US 7,025,742) in view of Berglund (US 4,416,657), and further in view of Buchwald (US 4,610,658).

Art Unit: 3761

With respect to Claims 1 and 40-44, Rubenstein teaches an implantable pump system having an inlet and an outlet, said system configured to be implanted subcutaneously in the peritoneal cavity, such that a portion of the pump system partially protrudes from the peritoneal cavity. The pump system comprises inlet and outlet tubes 2 coupled to a pump 18, such that the system transfers fluids from a first body cavity to a second body cavity. One of the tubes extends across the wall of the peritoneal cavity, such that fluid communication is established therewith. Although the *pump* is not located in and protruding from the peritoneal cavity, the shunt serves the same purpose as the device of Rubenstein (to transfer fluid from one body cavity to the other). Therefore, the exact location of the pump on the shunt is not important to the overall function of the device. The mere rearrangement of parts, such that the pump is protruding from the peritoneal cavity, does not constitute a patentable improvement in the art (see MPEP § 2144.04). Rubenstein further teaches that the pump may be remotely operated controlled by an external control module that is configured to be periodically coupled to the pump to control fluid flow through the system (Column 7, Lines 15-31). Additionally, the pump may comprise a battery 19 for storing energy to drive the pump. Rubenstein further discloses a variety of means for securing a pump to the patient's anatomy, such as a base plate 20 secured with screws (Fig. 5A). Rubenstein, however, does not specifically teach that the shunt transfers fluid from the peritoneal cavity to the bladder, nor does Rubenstein specifically teach that the external control module comprises a plurality of magnetic arms that are configured to

Art Unit: 3761

circumferentially engage the protruding portion of the pump to transfer energy transcutaneously.

Regarding Rubenstein's failure to teach that the shunt transfers fluid from the peritoneal cavity to the bladder, Berglund teaches a shunt for transferring fluid from the peritoneal cavity to the bladder. It is well known in the art that fluid buildups in the peritoneal cavity can occur, especially during dialysis procedures. One common solution to this problem is to drain fluid into the bladder, as suggested by Berglund. Transferring fluids to the bladder allow them to be removed from the body naturally through urination (Column 2, Lines 15-39). Therefore, it would have been obvious to one of ordinary skill in the art at the time of invention to modify the fluid shunt having flow control means of Rubenstein to drain fluids from the peritoneal cavity to the bladder, as suggested by Berglund, in order to provide a natural outflow passageway for removing excess fluid from the body.

Regarding Rubenstein's failure to teach an external control module comprising a plurality of magnetic arms that circumferentially engage the pump, Buchwald teaches an automated peritoneovenous shunt for transferring fluids out of the peritoneal cavity. The shunt comprises a pump that protrudes from the shunt and is operated by an external control module (i.e. a reciprocating motor) that is periodically coupled to the pump to transfer energy transcutaneously (figure 1). The module transfers energy to the pump by means of a rotating magnet 36 having a plurality of arms. The poles of the magnet are opposite the poles of the magnetic armature 29 of the pump. As the drive is reciprocated, the armature is reciprocated and drives the pump (Column 3, Lines 55-

Art Unit: 3761

69). The use of a magnetic rotor allows implanted pumps to be controlled without the need for an implanted power source, and also provides the ability to recharge an implanted power source, such as a battery. Therefore, it would have been obvious to one of ordinary skill in the art at the time of invention to modify the shunt of Rubenstein with the magnetic control module of Buchwald, in order to provide a well known means for providing power and controlling the speed of the pump transcutaneously, thereby reducing the invasiveness of the implant and providing a power source to the pump from outside the body. Furthermore, regarding the claimed circumferential cavity engagement between the pump and the magnetic rotor, Buchwald clearly teaches that the magnet engages the pump armature so as to cause the armature to rotate. Therefore, Buchwald's system performs the same function as the claimed device. The mere rearrangement of parts, such that the magnetic rotor forms a cavity that circumferentially engages the pump, does not constitute a patentable improvement in the art because doing so does not provide any additional functionality over Buchwald's system (see MPEP § 2144.04).

With respect to Claims 36 and 39, Rubenstein, Berglund, and Buchwald reasonably suggest the device substantially a claimed, and Buchwald further teaches that the housing of the pump may be made of substantially biocompatible materials and coated with anti-infective coatings that further improve the biocompatibility of the implant (Column 8, Lines 27-41). It is well known in the art that medical implants that are in direct contact with the body or body fluids should be made of (or coated with)

Art Unit: 3761

biologically inert materials, such that infections to not occur. Therefore, it would have been obvious to one of ordinary skill in the art at the time of invention to modify the fluid pumping system of Rubenstein with the biocompatible and anti-infective coatings of Buchwald in order to improve the biocompatibility of the implant, thereby reducing the risk of infection.

Claim 33 is rejected under 35 U.S.C. 103(a) as being unpatentable over Rubenstein in view of Berglund and Buchwald, and further in view of Burbank (US 6,193,684). Rubenstein, Berglund, and Buchwald reasonably suggest the device of Claim 1 substantially as claimed, and Rubenstein further teaches anchoring means (20, 76) for anchoring the pump housing to a designated part of the body (see Figures 5A, 10D and 10E). Rubenstein, Berglund, and Buchwald, however, do not specifically disclose that the pump is attached with staples, screws, or pins. Burbank discloses an implantable physiological fluid shunt that is anchored to the abdominal wall of a patient using adhesives, staples, sutures, or any other known attachment method (Column 5, Lines 23-43). As is established in the art, the attachment of the device to the abdominal wall prevents migration of the device, thereby ensuring that fluid flow from the body cavity is not interrupted. Therefore, it would have been obvious to one of ordinary skill in the art at the time of invention to one of ordinary skill in the art to modify the fluid management system of Rubenstein, Berglund, and Buchwald with the use of staples, adhesive, or other known attachment means of Burbank in order to securely attach the

Art Unit: 3761

housing of the device to a location nearby the fluid transfer location, thereby preventing fluid communication from being interrupted by shunt migration.

Claim 35 is rejected under 35 U.S.C. 103(a) as being unpatentable over Rubenstein in view of Berglund and Buchwald, and further in view of Gorsuch (5,980,478). Rubenstein, Berglund, and Buchwald reasonably suggest the device of Claims 1 and 39, but do not specifically disclose that the system comprises a material that promote fibrotic ingrowth and prevent bacterial adhesion to the device. Gorsuch discloses an implantable fluid transfer shunt that comprises an anti-infective coating that prevents bacteria adhesion to the housing, thereby reducing the risk of infection (Column 2, Line 55 through Column 3, Line 1). Gorsuch further discloses a fibrous cuff 26 that provides a substrate for tissue ingrowth. The ingrowth of tissue prevents foreign bacteria from entering the housing and helps to anchor the housing in place (Column 3, Lines 1-6). Therefore, it would have been obvious to one of ordinary skill in the art at the time of invention to modify the fluid management system of Rubenstein, Berglund, and Buchwald with the use of anti-infective coatings and fibrotic ingrowth-promoting materials of Gorsuch in order to reduce the risk of bacterial buildup inside the device and provide further anchoring means.

Claims 3, 4, and 38 are rejected under 35 U.S.C. 103(a) as being unpatentable over Rubenstein in view of Buchwald and Berglund, and further in view of Treu et al. (US 6,254,567). Rubenstein, Berglund, and Buchwald reasonably suggest the device of

Art Unit: 3761

Claim 1 substantially as claimed, and Rubenstein further teaches the use of a pressure sensor at the end of the inlet tube, such that pressure may be monitored such that a signal is sent to the controller to initiate fluid flow at a predetermined pressure.

Rubenstein, Berglund, and Buchwald, however, do not specifically teach or suggest that the system comprises pressure sensors at both ends of the shunt. Treu teaches a system for the treatment of physiological fluid comprising a fluid line having an inlet tube 62 and an outlet tube 72. The inlet and outlet tubes comprise pressure sensors (76, 78) at both ends thereof that send pressure data to a controller 16. The controller analyzes the sensed pressures and regulates a pump to maintain a predetermined pressure differential and flow rate through the system. If sensed pressures fall outside of a predetermined range, the pump will stop entirely. See Column 6, Lines 14-24. It is well known in the art of fluid transfer that monitoring pressure at both ends of the tube, flow rate and pressure may be more accurately controlled by a pump. Knowing the pressure differential between two body cavities will provide more feedback than simply knowing the inlet pressure, thereby allowing more precise flow rate monitoring and control. Therefore, it would have been obvious to one of ordinary skill in the art at the time of invention to modify the fluid transfer shunt of Rubenstein and Buchwald with the inlet and outlet pressure sensors of Treu in order to more accurately control the flow of fluid through the shunt.

Response to Arguments

Applicant's arguments with respect to claims 1, 3, 4, 33, 35, 36, and 38-44 have been considered but are moot in view of the new ground(s) of rejection.

Applicant also argues that the prior art does not teach or suggest (1) a portion of the implantable pump partially protruding from the peritoneal cavity, and (2) the external control module having a feature that circumferentially engages the protruding portion of the implantable pump.

Regarding the pump placed in and partially protruding from the peritoneal cavity, Rubenstein clearly teaches a pump that is in fluid communication with the peritoneal cavity. The pump may be periodically coupled to an external control module, such that flow of fluid through the pump may be controlled (Column 7, Lines 15-31). Therefore, Rubenstein's pump performs substantially the same function as the claimed device. It would have been obvious to one of ordinary skill in the art at the time of invention to rearrange the pump system of Rubenstein such that the pump partially extends from the peritoneal cavity, because doing so does not change the function of the device. See MPEP § 2144.04.

Regarding the external control module having a feature that circumferentially engages the protruding portion of the implantable pump, Buchwald teaches an automated peritoneovenous shunt for transferring fluids out of the peritoneal cavity. The shunt comprises a pump that protrudes from the shunt and is operated by an external control module (i.e. a reciprocating motor) that is periodically coupled to the

Art Unit: 3761

pump to transfer energy transcutaneously (figure 1). The module transfers energy to the pump by means of a rotating magnet 36 having a plurality of arms. The poles of the magnet are opposite the poles of the magnetic armature 29 of the pump. As the drive is reciprocated, the armature is reciprocated and drives the pump (Column 3, Lines 55-69). The use of a magnetic rotor allows implanted pumps to be controlled without the need for an implanted power source, and also provides the ability to recharge an implanted power source, such as a battery. Therefore, it would have been obvious to one of ordinary skill in the art at the time of invention to modify the shunt of Rubenstein with the magnetic control module of Buchwald, in order to provide a well known means for providing power and controlling the speed of the pump transcutaneously, thereby reducing the invasiveness of the implant and providing a power source to the pump from outside the body. Furthermore, regarding the claimed circumferential cavity engagement between the pump and the magnetic rotor, Buchwald clearly teaches that the magnet engages the pump armature so as to cause the armature to rotate. Therefore, Buchwald's system performs the same function as the claimed device. The mere rearrangement of parts, such that the magnetic rotor forms a cavity that circumferentially engages the pump, does not constitute a patentable improvement in the art because doing so does not provide any additional functionality over Buchwald's system (see MPEP § 2144.04).

Art Unit: 3761

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Phil Wiest whose telephone number is (571)272-3235. The examiner can normally be reached on 8:30am-5pm EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Tatyana Zalukaeva can be reached on (571) 272-1115. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Phil Wiest/
Examiner, Art Unit 3761

/Leslie R. Deak/
Primary Examiner, Art Unit 3761
8 April 2009

Application/Control Number: 10/826,237
Art Unit: 3761

Page 12